IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Rangachary Mukundan et al.

Docket No.: S-102,315

Serial No.:

Examiner:

Filed

November 25, 2003

Art Unit:

For

MIXED POTENTIAL HYDROCARBON SENSOR WITH LOW

SENSITIVITY TO MEETHANE AND CO

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR 1.56, 1.97, AND 1.98

Sir:

The documents listed below, copies attached, are submitted in compliance with the duty of disclosure defined in 37 CFR 1.56.

Pham et al., "Hydrocarbon Sensors and Materials Therefore," US Patent 1. 6.103,080, Issued August 15, 2000.

CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8(a))

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

deposited with the United States Postal Service with sufficient postage as first class mailin an envelope addressed to the: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450. **FACSIMILE**

transmitted by facsimile to the United States Patent and Trademark Office.

Signature

November 25, 2003

Ray G. Wilson

(type or print name of person certifying)

- 2. Kurosawa et al., "NO_x Sensor," US Patent 6,019,981, Issued February 1, 2000.
- 3. Garzon et al., "Solid State Oxygen Sensor," US Patent 5,543,025, Issued August 6, 1996.
- 4. Kusanagi et al., "Electrochemical Gas Sensor," US Patent 5,215,643, Issued June 1, 1993.
- 5. Mehrotra et al., "Whisker Reinforced Ceramic and a Method of Clad/Hot Isostatic Pressing Same," US Patent 4,820,663, Issued April 11, 1989.
- 6. Mase et al., "Method of Producing Ceramics," US Patent 4,735,666, Issued April 5, 1988.
- 7. Holfelder et al., "Electrochemical Oxygen Sensor, Particularly for Analysis of Combustion Cases from Internal Combustion Engines," US Patent 4,502,939, Issued March 5, 1985.
- 8. Hsu et al., "Solid Electrolyte Structure and Method for Forming," US Patent 4,614,628, Issued September 30, 1986.
- 9. Rychlewski, "Depression Cathode Structure for Cathode Ray Tubes Having Surface Smothness and Method for Producing Same," US Patent 4,478,590, Issued October 23, 1984.
- 10. Smith, "Method of Making Metalized Ceramic Bodies," US Patent 3,074,143, Issued January 22, 1963.
- 11. Chiba et al. "Device for Detection of Air/Fuel Ratio From Oxygen Partial Pressure in Exhaust Gas," US Patent 4,304,652, Issued December 8, 1981.
- Muller et al., "Electrochemical Oxygen Sensor, Particularly for Use in the Exhaust System of Automotive-Type Internal Combustion Engines," US Patent 4,277,323, Issued July 7, 1981.
 - Kennedy, "Solid Electrolyte Electrolytic Cell," US Patent 3,723,589,
 Issued March 27, 1973.

/SV/ /Surekha Vathyam/ 06/20/2007

- 14. Niwa et al., "Oxygen Concentration Sensing Apparatus," US Patent 4,220,517, Issued September 02, 1980.
- 15. Worrell et al., "Electro-Chemical Sensors and Methods for their Manufacture and Use," US Patent 4,786,374, Issued November 22, 1988.
- 16. Williams et al., "Solid Electrolyte Mixed Potential Phenomena," Studies in Inorganic Chemistry, Vol. 3, pp 275-278, 1982.
- 17. Miura et al., "Highly Selective CO Sensor Using Stabilized Zirconia and a Couple of Oxide Electrodes," Sensors and Actuators B 47 pp. 84-91, 1998.
- 18. Li et al., "High-Temperature Carbon Monoxide Potentiometric Sensor," J. Electrochem. Soc. Vol. 140, No. 4, pp. 1068-1073, April 1993.
- Miura et al., "Mixed Potential Type NO_x Sensor Based on Stabilized
 Zirconia and Oxide Electrode," J. Electrochem. Soc. Vol. 143, No.
 February 1996.
- 20. Hibino et al., "High-Temperature Hydrocarbon Sensors Based on a Stabilized Zirconia Electrolyte and Metal Oxide Electrodes," Electrochemical and Solid State Letters, 2 (12), pp. 651-653, 1999.
- 21. Mukundan et al., "A Mixed-Potential Sensor Based on a Ce_{0.8}Gd_{0.2}O_{1.9} Electrolyte and Platinum and Gold Electrodes," Journal of The Electrochemical Society, 147 (4), pp. 1583-1588, 2000.
- 22. Mukundan et al., "Ceria-Electrolyte-Based Mixed Potential Sensors for the Detection of Hydrocarbons and Carbon Monoxide," Electrochemical and Solid State Letters, 2 (8), pp. 412-414, 1999.

This Information Disclosure Statement is not to be construed as a representation that a search has been made or that additional matter material to the examination of this application does not exist.

It is requested that the above citations be made of record in the prosecution of this application. Applicant does not believe that any of these citations constitutes prior art under 35 U.S.C. 102.

Respectfully submitted,

Date: November 25, 2003

Reg. No. 28,351 Phone (505) 665-3112 Ray G. Wilson

Los Alamos National Laboratory

LC/IP, MS A187

Los Alamos, New Mexico 87545

Form PTO-1449 (Modified)	U.S. (. ,	Attorney Docket No. Serial No.					
(Widdined)	Faten	11 0111	U 112	ideii	Idin	Oilli	JC				S-102,315					
					TIO NT					Applicant(s)						
·												Rangachary	Mukundan			
													Filing Date Group			
37 CFR 1.98(b)			<u>. </u>						<u> </u>	J.S. PATENTS	S DOCUM	11/25/03 ENTS				
EXAMINER	PATENT ISSUE PATENTEE CLASS SUB FILING													FILING		
INITIAL	NUMBER							Q	٥	DATE 08/15/00	Pham et al.		204	CLASS 424	DATE 02/11/98	
/SV/			6	'	0	٦		0	U	00/10/00	Filalli et al.		204	424	02/11/30	
/SV/			6	0	1	9	8	8	1	02/01/00	Kurosav	/a et al.	204	424	09/25/98	
/SV/			5	5	4	3	0	2	5	08/06/96	Garzon	et al.	204	425	01/30/95	
/SV/			5	2	1	5	6	4	3	06/01/93	Kusanagi et al.		204	412	02/23/89	
/SV/			4	8	2	0	6	6	3	04/11/89	Mehrotra et al.		501	87	09/02/87	
/SV/			4	7	3	5	6	6	6	04/05/88	Mase et al.		156	89	01/21/86	
/SV/			4	5	0	2	9	3	9	03/05/85	Holfelder et al.		204	429	01/19/84	
/SV/			4	6	1	4	6	2	8	09/30/86	Hsu et al.		264	61	07/16/84	
		1	<u>!</u>	<u> </u>	<u> </u>		<u></u>		FC	REIGN PATE	NT DOC	JMENTS				
EXAMINER INITIAL				TEN						ISSUE DATE	COUN	TRY	CLASS	SUB CLASS	Translation YES NO	
11 11 11 11		,		Time Income		1EF	≀ DO	CI	JM		Author, Titl	e, Date, Place of	Publication)			
/SV/												otential Phe	enomena,"	Studies	in Inorganic	
1341										5-278, 1982		·				
	M	Miura et al., "Highly Selective CO Sensor Using Stabilized Zirconia and a Couple of														
/SV/ Oxide Electrodes," Sensors and Actuators B 47 pp. 84-91, 1998.																
10/11												de Potention	metric Sen	sor," J. El	ectrochem.	
1501	/SV/ Soc. Vol. 140, No. 4, pp. 1068-1073, April 1993.															
EXAMINER:										DATE CONSIDERED:						
/Surekha Vathyam/											06/20/2007					
*EXAMINER: Init	tial cita	tion	cons	ider	ed.	Drav	v line	e thr	ougl	n citation if not in	conformanc	e and not conside	red. Include co	py of this form	with next	

Form PTO-1449													Attorney Docket No. Serial No.				
(Modified)	Patent and Trademark Office												S-102,315				
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT													Applicant(s)			
							Rangachary Mukundan et al.										
							Filing Date Group 11/25/03										
37 CFR 1.98(b)									1	J.S. PATENTS	S DOCUM		•	<u> </u>			
EXAMINER INITIAL	PATENT ISSUE PATENTEE NUMBER DATE												CLASS	SUB	FILING DATE		
/SV/									0		Rychlew	ski	445	50	12/28/81		
/SV/			3	0	7	4	1	4	3	01/22/63	Smith		25	156	02/01/60		
/SV/			4	3	0	4	6	5	2	12/08/81	Chiba et	al.	204	195 S	06/06/80		
/SV/			4	2	7	7	3	2	3	07/07/81	Muller et al.		204	195 S	02/14/80		
/SV/			3	7	2	3	5	8	9	03/27/73	Kennedy		264	101	02/25/71		
			8	1	0	3	0	8	0	08/15/00	Pham e	al.	204	424	02/11/98		
/SV/			4	7	8	6	3	7	4	11/22/88	Worrell et al.		204	1	09/29/87		
											J			<u> </u>	·		
	1 4 4	•					_					, Date, Place of P		ad Ziraani	o and		
/SV/ Miura et al., "Mixed Potential Type NO _x Sensor Based on Stabilized Zirconia and Oxide Electrode," J. Electrochem. Soc. Vol. 143, No. 2, February 1996.																	
/SV/	Hibino et al., "High-Temperature Hydrocarbon Sensors Based on a Stabilized Zirconia Electrolyte and Metal Oxide Electrodes," Electrochemical and Solid State Letters, 2 (12), pp. 651-653, 1999.																
		•									l Sensor	Based on a	Ceo «Gdo	2O1 o Flec	trolyte and		
/SV/	/SV/ Mukundan et al., "A Mixed-Potential Sensor Based on a Ce _{0.8} Gd _{0.2} O _{1.9} Electrolyte and Platinum and Gold Electrodes," Journal of The Electrochemical Society, 147 (4), pp. 1583-1588, 2000.																
<u> </u>	М	Mukundan et al., "Ceria-Electrolyte-Based Mixed Potential Sensors for the Detection															
/SV/	of Hydrocarbons and Carbon Monoxide," Electrochemical and Solid State Letters, 2 (8), pp. 412-414, 1999.																
EXAMINER:												DATE CONSIDERED:					
/Surekha Vathyam/											06/20/2007						
*EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.																	